

Domain	ID	Measure Name	Specification Version	NQF #	Projects Associated with Measure	Numerator Description	Denominator Description	Reporting Responsibility	Payment: DY 2 and 3	Payment: DY 4 and 5
Three	3-12	Adherence to Antipsychotic Medications for People with Schizophrenia	HEDIS 2015	1879	3.a.i - 3.a.iv	Number of people who remained on an antipsychotic medication for at least 80% of their treatment period	Number of people, ages 19 to 64 years, with schizophrenia who were dispensed at least 2 antipsychotic medications during the measurement year	NYS DOH	P4P	P4P
Two	2-10	Adult Access to Preventive or Ambulatory Care - 20 to 44 years	HEDIS 2015	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of adults who had an ambulatory or preventive care visit during the measurement year	Number of adults ages 20 to 44 as of June 30 of the measurement year	NYS DOH	P4R	P4P
Two	2-11	Adult Access to Preventive or Ambulatory Care - 45 to 64 years	HEDIS 2015	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of adults who had an ambulatory or preventive care visit during the measurement year	Number of adults ages 45 to 64 as of June 30 of the measurement year	NYS DOH	P4R	P4P
Two	2-12	Adult Access to Preventive or Ambulatory Care - 65 and older	HEDIS 2015	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of adults who had an ambulatory or preventive care visit during the measurement year	Number of adults ages 65 and older as of June 30 of the measurement year	NYS DOH	P4R	P4P
Three	3-2	Antidepressant Medication Management - Effective Acute Phase Treatment	HEDIS 2015	0105	3.a.i - 3.a.iv	Number of people who remained on antidepressant medication during the entire 12-week acute treatment phase	Number of people 18 and older who were diagnosed with depression and treated with an antidepressant medication	NYS DOH	P4P	P4P
Three	3-3	Antidepressant Medication Management - Effective Continuation Phase Treatment	HEDIS 2015	0105	3.a.i - 3.a.iv	Number of people who remained on antidepressant medication for at least six months	Number of people 18 and older who were diagnosed with depression and treated with an antidepressant medication	NYS DOH	P4P	P4P
Two	2-22	CAHPS Measures - Care Coordination with provider up-to-date about care received from other providers	Adult Medicaid 5.0H	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number responses 'Usually' or 'Always' that doctor informed and up-to-date about care received from other providers	All responses with member seeing more than one provider	NYS DOH	P4R	P4P
Three	3-6	Cardiovascular Monitoring for People with Cardiovascular Disease and Schizophrenia	HEDIS 2015	1933	3.a.i - 3.a.iv	Number of people who had an LDL-C test during the measurement year	Number of people, ages 18 to 64 years, with schizophrenia and cardiovascular disease	NYS DOH	P4P	P4P
Three	3-41	Cervical Cancer Screening	HEDIS 2015	0032	3.e.i	Number of women who had cervical cytology performed every 3 years or women, ages 30 to 64 years, who had cervical cytology/human papillomavirus (HPV) co-testing performed every 5 years	Number of women, ages 24 to 64 years	NYS DOH	P4R	P4P
Two	2-16	Children's Access to Primary Care - 12 to 19 years	HEDIS 2015	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of children who had a visit with a primary care provider during the measurement period or year prior	Number of children ages 12 to 19 years as of June 30 of the measurement year	NYS DOH	P4R	P4P
Two	2-13	Children's Access to Primary Care - 12 to 24 months	HEDIS 2015	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of children who had a visit with a primary care provider during the measurement period	Number of children ages 12 to 24 months as of June 30 of the measurement year	NYS DOH	P4R	P4P
Two	2-14	Children's Access to Primary Care - 25 months to 6 years	HEDIS 2015	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of children who had a visit with a primary care provider during the measurement period	Number of children ages 25 months to 6 years as of June 30 of the measurement year	NYS DOH	P4R	P4P
Two	2-15	Children's Access to Primary Care - 7 to 11 years	HEDIS 2015	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of children who had a visit with a primary care provider during the measurement period or year prior	Number of children ages 7 to 11 years as of June 30 of the measurement year	NYS DOH	P4R	P4P

Domain	ID	Measure Name	Specification Version	NQF #	Projects Associated with Measure	Numerator Description	Denominator Description	Reporting Responsibility	Payment: DY 2 and 3	Payment: DY 4 and 5
Three	3-42	Chlamydia Screening (16 - 24 Years)	HEDIS 2015	0033	3.e.i	Number of women who had at least one test for Chlamydia during the measurement year	Number of sexually active women, ages 16 to 24	NYS DOH	P4P	P4P
Three	3-4	Diabetes Monitoring for People with Diabetes and Schizophrenia	HEDIS 2015	1934	3.a.i - 3.a.iv	Number of people who had both an LDL-C test and an HbA1c test during the measurement year	Number of people, ages 18 to 64 years, with schizophrenia and diabetes	NYS DOH	P4P	P4P
Three	3-5	Diabetes Screening for People with Schizophrenia or Bipolar Disease who are Using Antipsychotic Medication	HEDIS 2015	1932	3.a.i - 3.a.iv	Number of people who had a diabetes screening test during the measurement year	Number of people, ages 18 to 64 years, with schizophrenia or bipolar disorder, who were dispensed an antipsychotic medication	NYS DOH	P4P	P4P
Three	3-14	Engagement of Alcohol and Other Drug Dependence Treatment (Initiation and 2 visits within 44 days)	HEDIS 2015	0004	3.a.i - 3.a.iv	Number of people who initiated treatment AND who had two or more additional services with a diagnosis of AOD within 30 days of the initiation visit	Number of people age 13 and older with a new episode of alcohol or other drug (AOD) dependence	NYS DOH	P4P	P4P
Three	3-10	Follow-up after hospitalization for Mental Illness - within 30 days	HEDIS 2015	0576	3.a.i - 3.a.iv	Number of discharges where the patient was seen on an ambulatory basis or who was in intermediate treatment with a mental health provider within 30 days of discharge	Number of discharges between the start of the measurement period to 30 days before the end of the measurement period for patients ages 6 years and older, who were hospitalized for treatment of selected mental health disorders	NYS DOH	P4P	P4P
Three	3-9	Follow-up after hospitalization for Mental Illness - within 7 days	HEDIS 2015	0576	3.a.i - 3.a.iv	Number of discharges where the patient was seen on an ambulatory basis or who was in intermediate treatment with a mental health provider within 7 days of discharge	Number of discharges between the start of the measurement period to 30 days before the end of the measurement period for patients ages 6 years and older, who were hospitalized for treatment of selected mental health disorders	NYS DOH	P4P	P4P
Three	3-8	Follow-up care for Children Prescribed ADHD Medications - Continuation Phase	HEDIS 2015	0108	3.a.i - 3.a.iv	Number of children who, in addition to the visit in the Initiation Phase, had at least 2 follow-up visits in the 9-month period after the initiation phase ended	ages 6 to 12 years, who were newly prescribed ADHD medication and remained on the medication for 7 months	NYS DOH	P4R	P4P
Three	3-7	Follow-up care for Children Prescribed ADHD Medications - Initiation Phase	HEDIS 2015	0108	3.a.i - 3.a.iv	Number of children who had one follow-up visit with a practitioner within the 30 days after starting the medication	Number of children, ages 6 to 12 years, who were newly prescribed ADHD medication	NYS DOH	P4R	P4P
Two	2-17	Getting Timely Appointments, Care and information (Q6, 8, 10, and 12)	1351a_C&G CAHPS Adult Primary Care	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number responses 'Usually' or 'Always' got appt for urgent care or routine care as soon as needed , got answers the same day if called during the day or response as soon as needed if called after hours	Number who answered they called for appointments or called for information	NYS DOH	P4R	P4P
Three	3-38	HIV/AIDS Comprehensive Care : Engaged in Care	QARR 2015	NA	3.e.i	Number of people who had two visits for primary care or HIV related care with at least one visit during each half of the past year	Number of people living with HIV/AIDS, ages 2 years and older	NYS DOH	P4P	P4P
Three	3-40	HIV/AIDS Comprehensive Care : Syphilis Screening	QARR 2015	NA	3.e.i	Number of people who were screened for syphilis in the past year	Number of people living with HIV/AIDS, ages 19 years and older	NYS DOH	P4P	P4P

Domain	ID	Measure Name	Specification Version	NQF #	Projects Associated with Measure	Numerator Description	Denominator Description	Reporting Responsibility	Payment: DY 2 and 3	Payment: DY 4 and 5
Three	3-39	HIV/AIDS Comprehensive Care : Viral Load Monitoring	QARR 2015	NA	3.e.i	Number of people who had two viral load tests performed with at least one test during each half of the past year	Number of people living with HIV/AIDS, ages 2 years and older	NYS DOH	P4P	P4P
Three	3-13	Initiation of Alcohol and Other Drug Dependence Treatment (1 visit within 14 days)	HEDIS 2015	0004	3.a.i - 3.a.iv	Number of people who initiated treatment through an inpatient AOD admission, outpatient visit, intensive outpatient encounter, or partial hospitalization within 14 days of the index episode	Number of people age 13 and older with a new episode of alcohol or other drug (AOD) dependence	NYS DOH	P4P	P4P
Three	3-15	Medical Assistance with Smoking and Tobacco Use Cessation - Advised to Quit	HEDIS 2015	0027	3.b.i - 3.b.ii, 3.c.i - 3.c.ii, 3.e.i, 3.h.i	Number of respondents who were advised to quit	Number of respondents, ages 18 years and older, who smoke or use tobacco some days or every day	NYS DOH	P4R	P4P
Three	3-16	Medical Assistance with Smoking and Tobacco Use Cessation - Discussed Cessation Medication	HEDIS 2015	0027	3.b.i - 3.b.ii, 3.c.i - 3.c.ii, 3.e.i, 3.h.i	Number of respondents who discussed or were recommended cessation medications	Number of respondents, ages 18 years and older, who smoke or use tobacco some days or every day	NYS DOH	P4R	P4P
Three	3-17	Medical Assistance with Smoking and Tobacco Use Cessation - Discussed Cessation Strategies	HEDIS 2015	0027	3.b.i - 3.b.ii, 3.c.i - 3.c.ii, 3.e.i, 3.h.i	Number of respondents who discussed or were provided cessation methods or strategies	Number of respondents, ages 18 years and older, who smoke or use tobacco some days or every day	NYS DOH	P4R	P4P
Two	2-4	PDI 90 - Composite of all measures	AHRQ 4.4	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of admissions which were in the numerator of one of the pediatric prevention quality indicators	Number of people 6 to 17 years as of June 30 of measurement year	NYS DOH	P4R	P4P
Two	2-1	Potentially Avoidable Emergency Room Visits	3M	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of preventable emergency visits as defined by revenue and CPT codes	Number of people (excludes those born during the measurement year) as of June 30 of measurement year	NYS DOH	P4R	P4P
Two	2-2	Potentially Avoidable Readmissions	3M	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of readmission chains (at risk admissions followed by one or more clinically related readmission within 30 days of discharge)	Number of people as of June 30 of the measurement year	NYS DOH	P4R	P4P
Three	3-1	Potentially Preventable Emergency Department Visits (for persons with BH diagnosis)	3M	NA	3.a.i - 3.a.iv	Number of preventable emergency visits as defined by revenue and CPT codes	Number of people with a BH diagnosis (excludes those born during the measurement year) as of June 30 of measurement year	NYS DOH	P4P	P4P
Two	2-3	PQI 90 - Composite of all measures	AHRQ 4.4	NA	2.a.i - 2.a.v, 2.b.i - 2.b.ix, 2.c.i - 2.c.ii	Number of admissions which were in the numerator of one of the adult prevention quality indicators	Number of people 18 years and older as of June 30 of measurement year	NYS DOH	P4R	P4P
Three	3-11	Screening for Clinical Depression and follow-up	Chart review	0418	3.a.i - 3.a.iv	Number of people screened for clinical depression using a standardized depression screening tool, and if positive, a follow-up plan is documented on the date of the positive screen	Number of people with a qualifying outpatient visit who are age 18 and older	PPS and NYS DOH	P4R	P4P
Three	3-43	Viral Load Suppression	HRSA	2082	3.e.i	Number of people whose most recent viral load result was below 200 copies	Number of people living with HIV/AIDS	PPS and NYS DOH	P4R	P4P